



## MATERIAL SAFETY DATA SHEET BISMUTH NITRATE

### SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name	: Bismuth nitrate	<b>LABORT FINE CHEM PVT LTD.</b>
CAS	: 10035-06-0	<b>Office:</b> 703-704 Icon Business Centre, Opp. Central Mall, Nr. Valentine Cinema, Dumas Road, Surat - 395007, (GUJARAT), INDIA.
Synonym	:	Ph: 0091-261-2725761; 2725388
Chemical Name	: Bismuth nitrate	Fax: 0091-261-2725388
Chemical formula	: $\text{Bi}(\text{NO}_3)_3 \cdot 5\text{H}_2\text{O}$	<b>E Mail:</b> <a href="mailto:info@laboratorychemical.net">info@laboratorychemical.net</a>
Molecular weight	: 485.1	<b>Website:</b> <a href="http://www.laboratorychemical.net">www.laboratorychemical.net</a>
		<b>Factory:</b> Plot No. 320, G.I.D.C. Ichhapore Industrial Estate, Opp- ONGC, Taluka- Choryasi, District Surat, Gujarat., PIN 394510, India

### SECTION 2: COMPOSITION AND INFORMATION ON INGREDIENTS

#### Composition:

Chemical Name	CAS #	% weight
Bismuth nitrate	10035-06-0	100

**Toxicological Data on Ingredients:** Bismuth nitrate LD50: Not available. LC50: Not available.

### SECTION 3: HAZARDS IDENTIFICATION

#### Potential Acute Health Effects:

Extremely hazardous in case of ingestion. Very hazardous in case of eye contact (irritant). Hazardous in case of inhalation. Slightly hazardous in case of skin contact (irritant, permeator). Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching.

#### Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to lungs, the nervous system, mucous membranes. Repeated or prolonged exposure to the substance can produce target organs damage.

### SECTION 4: FIRST AID MEASURES

#### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

**Skin Contact:** Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.

**Serious Skin Contact:** Not available.

#### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Serious Inhalation:**

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

**Ingestion:**

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

**Serious Ingestion:** Not available.

## SECTION 5: FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** Not applicable.

**Explosion Hazards in Presence of Various Substances:**

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

**Fire Fighting Media and Instructions:** Not applicable.

**Special Remarks on Fire Hazards:** Not available.

**Special Remarks on Explosion Hazards:** Not available.

## SECTION 6: ACCIDENTAL RELEASES MEASURE

**Small Spill:** Use appropriate tools to put the spilled solid in a convenient waste disposal container.

**Large Spill:**

Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal.

## SECTION 7: HANDLING AND STORAGE

**Precautions:**

Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not breathe dust. Avoid contact with eyes. In case of insufficient ventilation, wear suitable respiratory equipment. If you feel unwell, seek medical attention and show the label when possible. Keep away from incompatibles such as combustible materials, organic materials.

**Storage:**

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers.

## SECTION 8: PERSONAL PROTECTION

**Engineering Controls:**

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

**Personal Protection:**

Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

**Personal Protection in Case of a Large Spill:**

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:** Not available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Solid.  
**Odor:** Not available.  
**Taste:** Not available.  
**Molecular Weight:** 485.1 g/mole  
**Color:** Not available.  
**pH (1% soln/water):** Not available.  
**Boiling Point:** Not available.  
**Melting Point:** Decomposes.  
**Critical Temperature:** Not available.  
**Specific Gravity:** 2.83 (Water = 1)  
**Vapor Pressure:** Not applicable.  
**Vapor Density:** Not available.  
**Volatility:** Not available.  
**Odor Threshold:** Not available.  
**Water/Oil Dist. Coeff.:** Not available.  
**Ionicity (in Water):** Not available.  
**Dispersion Properties:** Not available.  
**Solubility:** Not available.

## SECTION 10: STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.  
**Instability Temperature:** Not available.  
**Conditions of Instability:** Not available.  
**Incompatibility with various substances:** Reactive with combustible materials, organic materials.  
**Corrosivity:** Non-corrosive in presence of glass.  
**Special Remarks on Reactivity:** Not available.  
**Special Remarks on Corrosivity:** Not available.  
**Polymerization:** Will not occur.

## SECTION 11: TOXICOLOGICAL INFORMATION

**Routes of Entry:** Eye contact. Inhalation. Ingestion.  
**Toxicity to Animals:**  
LD50: Not available. LC50: Not available.  
**Chronic Effects on Humans:** Causes damage to the following organs: lungs, the nervous system, mucous membranes.  
**Other Toxic Effects on Humans:**  
Extremely hazardous in case of ingestion. Hazardous in case of inhalation. Slightly hazardous in case of skin contact (irritant, permeator).  
**Special Remarks on Toxicity to Animals:** Not available.  
**Special Remarks on Chronic Effects on Humans:**  
Due to the presence of dark line on gums, chronic bismuth toxicity may complicate diagnosis of chronic lead toxicity.  
**Special Remarks on other Toxic Effects on Humans:** Not available.

## SECTION 12: ECOLOGICAL INFORMATION

**Ecotoxicity:** Not available.  
**BOD5 and COD:** Not available.  
**Products of Biodegradation:**  
Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.  
**Toxicity of the Products of Biodegradation:** The products of degradation are more toxic.  
**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

## SECTION 14: TRANSPORT INFORMATION

**DOT Classification:** CLASS 5.1: Oxidizing material.

**Identification:** : Nitrate, inorganic, n.o.s. (Bismuth Nitrate) UNNA: UN1477 PG: II

**Special Provisions for Transport:** Marine Pollutant

## SECTION 15: OTHER REGULATORY INFORMATION

**Other Classifications:**

**WHMIS (Canada):**

CLASS C: Oxidizing material. CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

**DSCL (EEC):**

R8- Contact with combustible material may cause fire.

R41- Risk of serious damage to eyes.

**HMIS (U.S.A.):**

**Health Hazard:** 2

**Fire Hazard:** 0

**Reactivity:** 0

**Personal Protection:** E

**National Fire Protection Association (U.S.A.):**

**Health:** 2

**Flammability:** 0

**Reactivity:** 0

**Specific hazard:**

**Protective Equipment:**

Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

## SECTION 16: OTHER INFORMATION

**Product Use:**

Laboratory Reagent.

**Disclaimer:**

Labort Fine Chem Pvt Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. Labort Fine Chem Pvt Ltd. Makes no representations or warranties, either express or implied, including without limitation any warranties or merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Labort Fine Chem Pvt Ltd will not be responsible for damages resulting from use of or reliance upon this information.

Created on: 11/08/2016

Revision: 00