

MATERIAL SAFETY DATA SHEET

Silver sulphate

1.1	1 Product identifiers				
	Product name	:	Silver sulphate		
	Brand	:	LABORT		
	CAS-No.	:	10294-26-5		
1.2	Relevant identified uses of the substance or mixture and uses advised against				
	Identified uses	:	Laboratory chemicals, Manufacture of substances		
1.3	.3 Details of the supplier of the safety data sheet				
	LABORT FINE CHEM PVT LTD. 703-704 ICON BUSINESS CENTRE, OPP. CENTRAL MALL, NR. VALENTINE CINEMA, DUMAS ROAL SURAT - 395007, (GUJARAT), INDIA. PH: 0091-261-2725761; 2725388 FAX: 0091-261-2725388				
	E MAIL: info@laboratorychemical.net WEBSITE: www.laboratorychemical.net				
1.4	1.4 Emergency telephone number				
	Emergency Phone #	:	091-261-2725388		
SECTIO	N 2: Hazards identification				
2.1	Classification of the substance or mixture		or mixture		
	Classification according to Regulation (EC) No 1272/2008 Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410				
2.2	Label elements				
	Labelling according Regulation (EC) No 1272/2008				
	Pictogram	:			
	Signal word	:	Danger		
	Hazard statement(s)				
	H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects.				
	,	Precautionary statement(s)			

	P280 Wear eye protection/ face protection. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.					
	Supplemental Hazard statements					
	none					
2.3	Other hazards					
	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.					
SECTIO	N 3: Composition/information	n in	gredients			
3.1	Substances	Substances				
	Formula	:	Ag2O4S			
	Molecular weight	:	311,80 g/mol			
	CAS-No.	:	10294-26-5			
	EC-No.	:	233-653-7			
	Component	CI	assification	Concentration		
	Silver sulphate	1; H3 M- 1.0 M-	re Dam. 1; Aquatic Acute Aquatic Chronic 1; B18, H400, H410 Factor - Aquatic Acute: D00 Factor - Aquatic Acute: D100 Factor - Aquatic	<= 100 %		
SECTIO	N 4: First aid measures					
4.1	Description of first aid meas	ures				
	General advice Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact Wash off with soap and plenty of water. Consult a physician. In case of eye contact					
4.2	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. If swallowed Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 Indication of any immediate medical attention and special treatment needed					
4.3	No data available					
SECTION	N 5: Firefighting measures					
5.1	Suitable extinguishing media					
age 2 of	· · · · · · · · · · · · · · · · · · ·	tant	foam, dry chemical or carbon dioxide.			

5.2	Special hazards arising from the substance or mixture Sulphur oxides, Silver/silver oxides			
5.3	Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.			
5.4	Further information No data available			
SECTION	6: Accidental release measures			
	Personal precautions, protective equipment and emergency procedures			
6.1	Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.			
6.2	Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.			
6.3	Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.			
6.4	Reference to other sections For disposal see section 13.			
SECTION	7: Handling and storage			
	Precautions for safe handling			
7.1	Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.			
	Conditions for safe storage, including any incompatibilities			
	Keep container tightly closed in a dry and well-ventilated place. Store in cool place.			
7.2	Light sensitive. Recommended storage temperature: Ambient, No restrictions.			
7.3	Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated			
SECTION	8: Exposure controls/personal protection			
8.1	Control parameters			
	Components with workplace control parameters			
8.2	Exposure control			
	Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
	Personal protective equipment.			
	Eye/face protection			
	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).			
	Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.			
	The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.			
1	Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm			

Break through time: 480 min

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9.1 Information on basic physical and chemical properties Appearance Form Form: crystalline Colour: white Odour No data available Odour Threshold No data available

Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/range: 652 °C - lit.
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	5,450 g/cm3
Water solubility	No data available
Partition coefficient: noctanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available

	Oxidizing properties	No data available	
9.2	Other safety information	No data available	
SECTION 10: Stability and reactivity			
10.1	Reactivity No data available		
10.2	Chemical stability Stable under recommended storage conditions.		
10.3	Possibility of hazardous reactions No data available		
10.4	Conditions to avoid No data available		
10.5	Incompatible materials Strong oxidizing agents		
10.6	Hazardous decomposition products Hazardous decomposition products formed under fire conditions Sulphur oxides, Silver/silver oxides Other decomposition products - No data available In the event of fire: see section 5		

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 5.000 mg/kg

(OECD Test Guideline 401) Remarks: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive

(OECD Test Guideline 405)

Respiratory or skin sensitisation

11.1

No data available

Germ cell mutagenicity

No data available Micronucleus test Human lymphocytes

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard No data available Additional Information Repeated dose toxicity - No data available RTECS: Not available May cause argyria (a slate-gray or bluish discoloration of the skin and deep tissues due to the deposit of insoluble albuminate of silver)., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. **SECTION 12: Ecological information** 12.1 **Toxicity** semi-static test LC50 - Pimephales promelas (fathead minnow) -Toxicity to fish 0,0017 mg/l - 96 h Toxicity to daphnia and other aquatic semi-static test LC50 - Daphnia (water flea) - 0,00032 mg/l - 48 h invertebrates flow-through test EC10 - Pseudokirchneriella subcapitata (green Toxicity to algae algae) - 0,00059 mg/l - 24 h Persistence and degradability 12.2 The methods for determining biodegradability are not applicable to inorganic substances. 12.3 Bioaccumulative potential Oncorhynchus mykiss (rainbow trout) - 8 d Bioaccumulation at 15 °C(Disilver(1+) sulphate) Bioconcentration factor (BCF): 2,5 Mobility in soil 12.4 No data available Results of PBT and vPvB assessment 12.5 This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Other adverse effects 12.6 Very toxic to aquatic life with long lasting effects. **SECTION 13: Disposal considerations** 13.1 Waste treatment methods **Product** Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. Contaminated packaging Dispose of as unused product. **SECTION 14: Transport information** 14.1 **UN** number ADR/RID: 3077 IMDG: 3077 IATA: 3077 14.2 **UN proper shipping name** ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Disilver(1+) IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Disilver(1+) sulphate)

	TIATA For income (all the control of					
	IATA: Environmentally hazardous substance, solid, n.o.s. (Disilver(1+) sulphate)					
14.3	Transport hazard class(es)					
	ADR/RID: 9	IMDG: 9	IATA: 9			
14.4	Packaging group					
	ADR/RID: III	IMDG: III	IATA: III			
14.5	Environmental hazards					
	ADR/RID: yes	IMDG Marine pollutant: yes	IATA: yes			
	Special precautions for user					
14.6 SECTION	Further information EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids. ON 15: Regulatory information					
15.1	Safety, health and environmental regulations/legislation specific for the					
15.2	Chemical safety assessment For this product a chemical safety assessment was not carried out					
SECTION 16: Other information						
	Further information LABORT FINE CHEM PVT LTD. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a					

LABORT FINE CHEM PVT LTD. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. LABORT FINE CHEM PVT LTD. Makes no representations or warranties, either express or implied, including without limitation any warranties or merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, LABORT FINE CHEM PVT LTD. will not be responsible for damages resulting from use of or reliance upon this information.

Prepared on: 22/07/20

Revision: 00